

# **NSP 100 Resin**

(Part A)

Safety Data Sheet (SDS)

# **Section 1 - Product and Company Identification**

Trade Name: NSP 100 Resin (All Versions)

Company:

**NSP Specialty Products** 5969 US Highway 221 Roebuck, SC 29376 +1 (910) 235-0468

**Emergency Contact:** 

ChemTel 24 Hr. US Emergency Number: +1 (800) 255-3934 ChemTel 24 Hr. Worldwide Emergency Number: +1 (813) 248-0585

Not recommended for: None Identified

**Product Use:** Coatings

# **Section 2 - Hazards Identification**

#### **GHS Ratings:**

	Flammable liquid	3	Flash point $\geq$ 23°C and $\leq$ 60°C (140°F)
	Skin corrosion/irritation	2	Reversible adverse effects in dermal tissue, Draize score: >= 2.3 < 4.0 or persistent inflammation
	Serious eye damage/eye irritation	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
	Respiratory sensitization	1	Respiratory sensitizer
	Skin sensitization	1	Skin Sensitizer
	Germ cell mutagenicity	2	Suspected/Possible: May include heritable mutations in human germ cells, Positive evidence from tests in mammals and somatic cell tests, In vivo somatic genotoxicity supported by in vitro mutagenicity
ìH	Carcinogenicity IS Hazards	2	Limited evidence of human or animal carcinogenicity

# Gł

H226	Flammable liquid and vapour
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer

# **GHS Precautions**

P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P210	Keep away from heat/sparks/open flames/hot surfaces – No smoking
P233	Keep container tightly closed
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilating/light/equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection P280 Use personal protective equipment as required P281 In case of inadequate ventilation wear respiratory protection P285 Immediately call a POISON CENTER or doctor/physician P310 P321 Specific treatment (see label) Take off contaminated clothing and wash before reuse P362 P363 Wash contaminated clothing before reuse IF ON SKIN: Wash with soap and water P302+P352 P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing

IF IN EYES: Rinse continuously with water for several minutes. Remove contact P305+P351+P338

lenses if present and easy to do - continue rinsing IF exposed or concerned: Get medical advice/attention If skin irritation occurs: Get medical advice/attention

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P342+P311 Call a POISON CENTER or doctor/physician

P370+P378 In case of fire: Use carbon dioxide, alcohol-resistant foam, dry chemical, dry sand, or

water fog for extinction

P405 Store locked up

P403+P235 Store in a well ventilated place. Keep cool

P501 Dispose of contents/container in accordance with all local, regional, national, and

international regulations.

Signal Word: Danger

P308+P313 P332+P313





# **Section 3 - Composition / Information on Ingredients**

Chemical Name	CAS number	Weight Concentration %
2-propanol	67-63-0	50.00% - 60.00%
Bisphenol A diglycidyl ether resin	25068-38-6	40.00% - 50.00%
Butyl Glycidyl Ether	2426-08-6	1.00% - 5.00%

#### **Section 4 - First Aid Measures**

Inhalation: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.

Eye Contact: Immediately flush eyes for at least fifteen minutes with running water. Hold eyelids apart to ensure rinsing of the entire eye surface and lids with water. If eye irritation persists: Get medical advice/attention.

Skin contact: Immediately remove contaminated clothing and shoes. Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. If a person vomits when lying on his back, place him in the recovery position. Get immediate medical attention.

# **Section 5 - Fire Fighting Measures**

**Flash Point:** 45 C (113 F) LEL: 2.00 UEL: 13.00

Extinguishing Media: Use carbon dioxide, foam, dry chemical, dry sand, water fog, or limestone powder

extinguishing systems.

Unusual Fire and Explosion Hazards: None

**Hazardous combustion products:** Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Stability and Reactivity) for additional information.

Special Fire Fighting Procedures: Firefighters should be equipped with self-contained breathing apparatus.

Fire Equipment: No Data

#### **Section 6 - Accidental Release Measures**

**Spill And Leak Procedures:** Avoid all personal contact. Ensure cleanup personnel wear all appropriate Personal Protective Equipment (PPE), including respiratory protection. Spills should be contained, solidified, and placed in suitable containers for disposal.

# **Section 7 - Handling and Storage**

**Handling Precautions:** Use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume or vapor. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

**Storage Requirements:** Keep away from heat, sparks, and open flames. Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use.

# **Section 8 - Exposure Controls / Personal Protection**

Chemical Name / CAS #	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
2-propanol 67-63-0	OEL-TWA: 400 ppm, 980 mg/m3	TLV-TWA: 200 ppm TLV-STEL: 400 ppm	Not Established
Bisphenol A diglycidyl ether resin 25068-38-6	Not Established	Not Established	Not Established
Butyl Glycidyl Ether 2426-08-6	TLV-TWA:270 mg/m3	TWA: 3 ppm	Not Established

Ventilation: Good general mechanical ventilation and local exhaust is recommended.

**Hygiene:** Eye wash must be easily accessible. Wear protective clothing as necessary to prevent contact. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. Gloves must be inspected regularly and prior to each use. Replace if necessary.

**Personal Protective Equipment:** Wear impervious protective gloves. Wear OSHA, NIOSH approved organic vapor respirator if ventilation is inadequate. Wear appropriate protective eyewear such as splash-proof, chemical resistant safety goggles.

**Contaminated Gear:** Take off all contaminated clothing immediately. Wash contaminated clothing before reuse.

### **Section 9 - Physical and Chemical Properties**

This mixture typically exhibits the following properties under normal circumstances:

Appearance:	Liquid	Odor:	Not available
Vapor Pressure:	19.7 mm Hg	Odor threshold:	Not available
Vapor Density:	Not available	pH:	Not available

Density (g/cm3): 0.93 Melting point: Not available Freezing point: Not available Solubility: Not available **Boiling range:** Not available Flash point: 45°C, 113°F **Evaporation rate:** Not available Flammability: Not available **Explosive Limits:** Not available Partition coefficient (n-Not available octanol/water): Autoignition Not available **Decomposition** Not available temperature: temperature: Viscosity: Not available **Grams VOC less water:** Not available

# **Section 10 - Stability and Reactivity**

#### Stability:

**STABLE** 

# Components of this mixture are incompatible with the following materials:

Strong Oxidizers Acid anhydrides

Aluminum

Halogenated Compounds

Strong Acids Strong Bases

Strong Reducing Agents

**Amines** 

#### This mixture is likely to exhibit the following combustion products:

No Data

Hazardous polymerization will not occur.

#### **Section 11 - Toxicological Information**

#### **Mixture Toxicity:**

# **Component Toxicity:**

2426-08-6 Butyl Glycidyl Ether

Oral LD50: 1,000 mg/kg (rat) Dermal LD50: 788 mg/kg (rabbit) Inhalation LC50: 1,030 ppm (

Routes of Entry:

Inhalation Skin Contact Eye Contact Ingestion

#### Exposure to this material may affect the following organs:

No Data

The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing):

CAS NumberDescription% WeightCarcinogen Rating2426-08-6Butyl Glycidyl Ether1% - 5%Butyl Glycidyl Ether:

#### **Section 12 - Ecological Information**

# Component Ecotoxicity:

2-propanol LC50 9640 mg/l fish 96h; EC50 5102 mg/l water flea 24h; EC50 2000 mg/l

algae 72h

Bisphenol A diglycidyl ether resin LC50 3.1 mg/l fish 96h; EC50 2.1 mg/l water flea 48h; EC50 >11mg/l Algae

72h; LC50 >100mg/l bacteria 3h

Butyl Glycidyl Ether LC50 65 mg/l fish 96h; EC50 3.9mg/l water flea 48h; ErC50 35 mg/l algae

96h

# Section 13 - Disposal Considerations

Waste disposal Methods: Dispose in accordance with Federal, State and Local regulations.

#### **Section 14 - Transport Information**

This material is classified for transport as follows:

**Proper Shipping Name** 

**UN Number Packing Group Hazard Class** 

DOT IATA **IMDG**  Paint Related Material, Flammable, Corrosive

3469 Ш 3/8

#### **Section 15 - Regulatory Information**

Additional regulatory listings, where applicable:

Country Regulation All Components Listed

**EU Risk Phrases** 

Safety Phrase

Toxic Substances Control Act (TSCA): All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

No Data

EPA SARA Title III Section 313 (40 CFR 372) compnenets above 'de minimum' level:

#### **Section 16 - Other Information**

SDS: NSP 100 Resin

For further information, please contact the Product Safety director. The information and recommendations contained herein are, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. Users of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely. No representations or warranties, either expressed or implied of merchantability, fitness for a particular purpose, or any other nature, are made hereunder with respect to the information contained herein, or to the chemical to which the user refers.

Date Revised: 2025-06-16 Revision #: 2